PROJECT PLAN FOR RADIO SET RS-8 - Profest No. 2054.

1. General Aim

- A. The development of equipment as follows:

 I The development of a miniature beacon radio transmitter to aid in the location of cargo dropped to the ground by parachute.
 - ZI. The development of a portable radio DF receiver to be carried by the operator, which will home on a characteristic signal radiated by the transmitter, enabling the rapid location of the cargo on the ground. (An inter investigation will be made to determine first, if a satisfactory receiver already exists.)
 - III. The incorporation of additional features into the equipment above to accomplish the secondary function of aiding in the establishment of ship-to-shore rendezvous. For this communication function the transmitter will be provided with a key for C. W. transmission only.

2. Specific Aim

- A. The development of a radio transmitter with the following characteristics:
 - I. Power Source -- Dry batteries.
 - II. Unitization -- A single case containing the transmitter and batteries.
 - III. Physical Size -- Not to exceed 14" long, by 8" wide, by 6" deep.
 - IV. Weight -- Not to exceed _______lbs_DOCUMENT NO. 20 NO CHANGE IN CLASS. IX
 - V. 'Extremely Rugged.

DECLASSIFIED

CLASS, CHANGED TO: TS S C

NEXT REVIEW DATE: ____

VI. Excellent Reliability

AUTH: HR 70-2 DATE: 1/11/48

_REVIEWER: _037169

VII. Minimum Range — for beacon use — 1 mile — For commo use — 10 miles.

VIII. Minimum Life -- One hour. (Continuous oferation)

- IX. Power Output 12 Watts minimum.
- X. Frequency range 2.5 to 4.5 mcs.
- XI. Circuitry—Single tube crystal controlled oscillator Modulated by characteristic tone for beacon use and equipped with a key for communication use.

- Antenna -- For cargo chute locator an omnidirectional loop antenna
 - -- For communications use a single wire of variable
- B. The development of a radio receiver with the following characteristics:
 - I. Power Source -- Batteries
 - II. nitization Single unit with containing batteries . receiver, MM loop, and sense
 - III. Physical Sizem -
 - 6" X/8" X2 IV. Weight -- not to exceed

 - VI. Reliability -- Good. excellent mas
 - VII. Minimum Life -- 100 live
 - Range I mile minimum from become VIII. jorniles on che en
 - Frequency range -- 2.5 to 4.5 mcs. IX.
 - Circuitry -- Superheterodyne
- s to be investigated)

 Sensing & Direction.

 audio power output Selectivity

 smitter program Antenna - Loop. (Aluxe av (Desiracule antimus to be investigated)

 D-F Characteristics - Sensing & Direction.

3. Proposed methods and time for transmitter program

A•	Research	est. time	# personnel	type pers	man hours
•	Study of similar existing equipment	3 wks	1	proj. eng	120
	Study of the mystem	2 wks.	1	do	- 80
В.	Formulation of basic circuit Development	l wk.	1	do	40
	Construction and tests of breadboard models	4 wks	1 1	proj eng. technician	320
	Mechanical design preliminary drawings	l½ wks	1 1	draftsman mech. eng.	128

		• .			
	construction of first complete model	4 wks	1 1 7	proj eng. technician modul Shop	640
	tests and changes on first model	2 wks	1	proj. eng.	160
	Submission of first model to test section	1 wk.			
	Resulting changes and tes	ts 2 wks.	1	proj eng technician	160
	Construction of final eng	- 4 wks.	l l techni	proj. eng.	800
	tests on finalmodels	l wk.	1	techniciam proj. eng.	80
	Formulation of complete manufacturing specs. and drawings	4 wks.	1 1	Proj. Eng. Draftsman Mech. Eng	480
					400
	Total	 29	5	· .	
4. Propos		29½ wks	5	· <u>-</u>	3008
	ed methods and time for Re		•		,
	ed methods a nd time for Red	ceiver progra	•		,
	ed methods and time for Re	ceiver progra	•	Proj. Eng.	,
	ed methods a nd time for Recessarch Study of sim ilar existing	ceiver progra	m	Proj. Eng. Proj. Eng.	3008
	ed methods and time for Recessarch Study of sim ilar existing equipment	ceiver progra	m l	_	3008 120
A. F	ed methods and time for Recesearch Study of sim ilar existing equipment Study of the system Formulation of Basis	ceiver progra 3 3 wks. 2 wks.	m 1 1	Proj. Eng.	3008 120 80
A. F	eed methods and time for Recesearch Study of sim ilar existing equipment Study of the system Formulation of Basis cricuits	ceiver progra 3 wks. 2 wks.	m 1 1	Proj. Eng.	3008 120 80
A. F	eed methods and time for Recesearch Study of sim ilar existing equipment Study of the system Formulation of Basis cricuits evelopment Construction and tests of	eeiver progra 3 wks. 2 wks. 1 wk.	m 1 1	Proj. Eng. Proj Eng.	3008 120 80 40

Declassified and Approved For Release 2012/09/13 : CIA-RDP78-03535A001800010012-7

(c)	Construction of first complete model	4 wks	l Proj Eng l Technician 2 Model Shop	160	
	Tests and Changes on above. (c)	3 wks	l Proj Eng l Technician	240	
	Submission of (c) to Com OP and Chief, Eng., for crit and comments				•
	Resulting Changes and tests		l Proj Eng Technician	160	x &&K x
(g)	Construction - final Eng mod	dels 5 wks	l Proj Æng l Technician 2 Mod Shop l Mech Eng	1000	
	Tests on above (g)	2 wks	l Technician l Proj Eng	160	
	Formulation of complete manufacturing specifications and drawings				
		5 wks	1 Proj Eng 1 Draftsman 1 Mech Eng	600	
	Totals	35 wks		7 3600	